


Series “ALOPS” Packaged Light Fuel Oil Pump Sets



Economical pumping solutions, backed by Alstrom's 70 years of experience in the heat transfer & fluid handling industry

**Capacities of
30 to 600 GPH**

**Pressures up
to 300 PSI**

- ◆ Factory built and tested for reliability and ease of installation
- ◆ Easily customizable to fit your specification
- ◆ Covered by ALSTROM quality assurance program
- ◆ Expedited submittals and delivery available
- ◆ 3D drawings and models

 **ALSTROM**
HEAT TRANSFER LLC
HEAT TRANSFER EQUIPMENT
&
SYSTEMS

For assistance with your application, questions, or quotations, please contact us:

Email: info@alstromcorp.com
Ph: 1- 800 - 223 - 4901
Fax: 1 - 718- 409- 3605

Standard Features



- ◆ Duplex arrangement (Simplex option available)
- ◆ Ball valves and check valves for pump isolation
- ◆ Reliable Viking™ pumps, UL listed pumps available
- ◆ Name brand motors
- ◆ Stainless Steel, liquid filled gauges
- ◆ Drip pan base with 2 3/4" lip
- ◆ UL listed duplex strainer for continuous operation
- ◆ External safety relief valves
- ◆ Single or three phase motors
- ◆ Comprehensive factory testing

Control Options

- ◆ Customized for your application
- ◆ PLC based controls available
- ◆ Lead-Lag operation
- ◆ Auto alternation
- ◆ Pan leak detection
- ◆ Differential pressure switches
- ◆ Flow or pressure switches
- ◆ NEMA 1, 4, 4X, 12 available



Sample of Custom Options

- ◆ Pump set Enclosures
- ◆ Back pressure valves, installed or shipped loose
- ◆ Simplex strainers
- ◆ Flexible connections
- ◆ Vibration isolators
- ◆ Flow switches and meters
- ◆ Temperature switches
- ◆ Additional options available

Custom Models

From high pressure fuel oil systems to bio-diesel batching, we have experience with a wide variety of applications.


Contact us for a spec. customized for your application

1408 Seabury Ave, Bronx, NY 10461
Email: info@alstromcorp.com
Ph: 1- 800 - 223 - 4901
Fax: 1 - 718- 409- 3605
www.alstromcorp.com



E-Series Model Numbers

1	2	3	4	5	6	7	8



“ALOPS”-Series Quote RFQ

Please fill out all **bold** fields

Flow: _____ GPM Pressure: _____ PSI

Available Ph/Hz/Voltage: _____ Ph/ _____ Hz/ _____ V

Mechanical Options

Strainer (Choose one): Simplex Duplex

Seals (Choose one): Buna-n Lip Seals
 Buna-n Mechanical Seals
 Viton Mechanical seals

- UL Listed Strainer
- UL Listed pumps
- Welded Piping (Recommended for 150 psi and above)
- Foot Mounted Pumps
- Flexible pump connections and vibration isolators
- Painted carbons steel pump set enclosure

Controls Options

- NEMA: 1 3R 4 4X 12 Other _____
 UL 508A Labeled
- Lead Lag with
 - Flow Switch (Standard for most applications)
 - Pressure Switch
 - Auto Alternation
 - Leak Switch
 - Strainer DP Switch

Company _____

Contact Name _____

Position _____

Phone _____

Email _____

Job Name _____

Date Quote Needed _____

- Please Send Me a Customized Specification
- My Specification is Attached

Additional Information:
